

Author index

- AARDEN, L. A. *see* VAN DER POWW KRAAN, T. C. T. M.
 ABRUZZESE, M. *see* UCCELLI, A.
 ABE, M., GOTO, T., KOSAKA, M., WOLFENBARGER, D., WEISS, D. T. & SOLOMON, A. Differences in kappa to lambda (κ/λ) ratios of serum and urinary free light chains, 457
 ABE, Y. *see* HASHIMOTO, S.
 ABO, T. *see* ARAI, K.
 ACCARDO-PALUMBO, A. *see* TRIOLO, G.
 ADACHI, Y. *see* KOSHII, M.
 ADLA, L. *see* RÈME, T.
 ADLER, W. H. *see* BASKAR, P. V.
 AFFRONTI, N. *see* MANSUETO, S.
 AGREWALA, J. N. *see* SHAJI, A. V.
 AGREWALA, J. N., KUMAR, B. & VOHRA, H. Potential role of B7-1 and CD28 molecules in immunosuppression in leprosy, 46
 AIUTI, F. *see* PANDOLFI, F.
 AL-BAKHARI, T. A. M. A. *see* DAVENPORT, C.
 ALARIO, C. *see* PANDOLFI, F.
 ALONSO, J.-M. *see* RAMISSE, F.
 AMBROISE-THOMAS, P. *see* CHUMPTAZI, B. F. F.
 ANDOH, A. *see* KIMURA, T.
 ANDOH, A., FUJIYAMA, Y., SAKUMOTO, H., UCHIHARA, H., KIMURA, T., KOYAMA, S. & BAMBA, T. Detection of complement C3 and factor B gene expression in normal colorectal mucosa, adenomas and carcinomas, 477
 ANIĆ, D. *see* MARUŠIĆ, M.
 ANZAI, K., NAGAFUCHI, S., NIHO, Y., KIKUCHI, M. & ONO, J. β_2 -Glycoprotein I-dependent and -independent anticardiolipin antibody in non-obese diabetic (NOD) mice, 173
 APPELBYARD, G. D. & WILKIE, B. N. Characterization of porcine CD5 and CD5⁺ B cells, 225
 APT, A. S. *see* PICHUGIN, A. V.
 ARAI, K., YAMAMURA, Y., SEKI, S., HANYU, T., YAKAHASHI, H. E. & ABO, T. Increase of CD57⁺ T cells in knee joints and adjacent bone marrow of rheumatoid arthritis (RA) patients: implications for an anti-inflammatory role, 345
 ARCOLEO, F. *see* MANSUETO, S.
 ARIYASU, T. *see* KANEKO, H.
 ARNONE, M. *see* CUCCA, F.
 ARORA, M., KUMAR, A., DAS, S. N. & SRIVASTAVA, L. M. Complement-regulatory protein expression and activation of complement cascade on erythrocytes from patients with rheumatoid arthritis (RA), 102
 ATKINSON, T. P. *see* ZHU, Z.-B.
 AUCOUTURIER, P. *see* SOUSA, A. O.
 BADIALI, M. *see* CUCCA, F.
 BAGNARELLI, P. *see* SILVESTRI, G.
 BAI, X.-F. *see* SHI, F.-D.
 BAI, X.-F., LI, H.-L., SHI, F.-D., LIU, J.-Q., XIAO, B.-G., VAN DER MEIDE, P. H. & LINK, H. Complexities of applying nasal tolerance induction as a therapy for ongoing relapsing experimental autoimmune encephalomyelitis (EAE) in DA rats, 205
 BALK, A. H. M. M. *see* VAN BESOUW, N. M.
 BAMBA, T. *see* ANDOH, A.
 BAMBA, T. *see* KIMURA, T.
 BAPTISTA, A. *see* JACOBS, N.
 BASAKI, Y. *see* YANAGIHARA, Y.
 BASKAR, P. V., COLLINS, G. D., DORSEY-COOPER, B. A., PYLE, R. S., NAGEL, J. E., DWYER, D., DUNSTON, G., JOHNSON, C. E., KENDIG, N., ISRAEL, E., NALIN, D. R. & ADLER, W. H. Serum antibodies to HIV-1 are produced post-measles virus infection: evidence for cross-reactivity with HLA, 251
 BATINIĆ, D. *see* MARUŠIĆ, M.
 BAUER, J. *see* HUITINGA, I.
 BAUER, L. *see* WIEDERMANN, U.
 BEAGLEY, K. W. *see* CORRIGAN, E. M.
 BEER, R. *see* RISCHMUELLER, M.
 BELOSEVIC, M. *see* LOWRY, M. A. R.
 BENTWICH, Z., KALINKOVICH, A., WEISMAN, Z. & GROSSMAN, Z. Immune activation in the context of HIV infection, 1
 BERG, P. A. *see* OTTO, A.
 BERTHO, A. L. *see* NEVES JR, I.
 BERTONI, G. *see* VON BODUNGEN, U.
 BESSIS, N., CHIOCCHIA, G., KOLLIAS, G., MINTY, A., FOURNIER, C., FRADELIZI, D. & BOISSIER, M.-C. Modulation of proinflammatory cytokine production in tumour necrosis factor-alpha (TNF- α) transgenic mice by treatment with cells engineered to secrete IL-4, IL-10 or IL-13, 391
 BETTERLE, C. *see* VOLPATO, M.
 BIANCHI, A. *see* RAMISSE, F.
 BINDER, P. *see* RAMISSE, F.
 BOEIJ, L. C. M. *see* VAN DER POWW KRAAN, T. C. T. M.
 BOISSIER, M.-C. *see* BESSIS, N.
 BONIVER, J. *see* JACOBS, N.
 BOS, J. D. *see* SNIJDERS, A.
 BOSMANS, E. *see* VINGERHOETS, J.
 BOTTAZZO, G. F. *see* DAVENPORT, C.
 BOURNE, T., ZUKOWSKA-COOPER, M., SALAMAN, M. R., SEIFERT, M. H. & ISENBERG, D. A. Spontaneous immunoglobulin-producing capacity of cultures from lupus patients and normal donors following depletion of cells expressing CD19 or CD38, 611
 BRANDSCH, R. *see* OTTO, A.
 BREGENHOLT, S. & CLAESSENS, M. H. Splenic T helper cell type 1 cytokine profile and extramedullary haematopoiesis in severe combined immunodeficient (scid) mice with inflammatory bowel disease (IBD), 166
 BRENNAN, F. M. *see* MALFAIT, A. M.
 BRUM, L. *see* SOUSA, A. O.
 BUTLER, D. M. *see* MALFAIT, A. M.
 CALDER, V. *see* MUHAYA, M.
 CAMPBELL, R. D. *see* CUCCA, F.
 CAMPOS-MELLO, D. L. A. *see* NEVES JR, I.
 CAO, A. *see* CUCCA, F.
 CAPPADONA, J. *see* PENG, S. L.
 CAPRILLI, R. *see* GIACOMELLI, R.
 CARBONE, M. C. *see* TRIOLO, G.
 CASIGLIA, D. *see* TRIOLO, G.
 CAVAR, Z. *see* MARUŠIĆ, M.
 CHAMPION, G. *see* RISCHMUELLER, M.
 CHARREIRE, J. *see* TAKORABET, L.
 CHEEVERS, W. P. *see* VON BODUNGEN, U.
 CHEN, S. *see* VOLPATO, M.
 CHEN, Z. *see* RISCHMUELLER, M.
 CHIPARI, F. *see* MANSUETO, S.
 CHIOCCHIA, G. *see* BESSIS, N.
 CHUMPTAZI, B. F. F., SIMON, J., POLACK, B., PEYRON, F., PICOT, S., RICARD, J. & AMBROISE-THOMAS, P. Human platelet inhibition of *Toxoplasma gondii* growth, 325
 CICLITIRA, P. J. *see* SHIDRAWI, R. G.
 CILLARI, E. *see* MANSUETO, S.
 CIPRIANI, P. *see* GIACOMELLI, R.
 CLAAS, F. H. J. *see* VAN BESOUW, N. M.
 CLAESSENS, M. H. *see* BREGENHOLT, S.
 CLANCY, R. L. *see* CORRIGAN, E. M.
 CLEMENTI, M. *see* SILVESTRI, G.
 COATES, T. *see* RISCHMUELLER, M.
 COLEBUNDERS, R. *see* VINGERHOETS, J.
 COLLETTI, P. *see* MANSUETO, S.
 COLLINS, G. D. *see* BASKAR, P. V.
 CONGIA, M. *see* CUCCA, F.

- COOKSON, S. *see* WESTBY, M.
 COOPER, M. D. *see* CUCCA, F.
 CORRIGAN, E. M., CLANCY, R. L., DUNKLEY, M. L., EYERS, F. M. & BEAGLEY, K. W. Cellular immunity in recurrent vulvovaginal candidiasis, 574
 COSSU, F. *see* CUCCA, F.
 CRAFT, J. *see* PENG, S. L.
 CROSS, A. S. *see* TRAUTMANN, M.
 CUCCA, F., ZHU, Z.-B., KHANNA, A., COSSU, F., CONGIA, M., BADIALLI, M., LAMPIS, R., FRAU, F., DE VIRGILIIS, S., CAO, A., ARNONE, M., PIRAS, P., CAMPBELL, R. D., COOPER, M. D., VOLANAKIS, J. E. & POWIS, S. H. Evaluation of IgA deficiency in Sardinians indicates a susceptibility gene is encoded within the HLA class III region, 76
 CUCINELLI, F. *see* GIACOMELLI, R.
 CZARNOCKA, B. *see* GUO, J.
 DAHA, M. R. *see* DE FUTER, J. W.
 DAHA, M. R. *see* VAN DEN BERG, R. H.
 DALGLEISH, A. G. *see* WESTBY, M.
 DANIEL, V. *see* WEIMER, R.
 DAS, S. N. *see* ARORAR, A.
 DAVENPORT, C., RADFORD, P. M., AL-BUKHARI, T. A. M. A., LAI, M., BOTTAZZO, G. F. & TODD, I. Heterogeneity in the occurrence of a subset of autoantibodies to glutamic acid decarboxylase in autoimmune polyendocrine patients with islet cell antibodies, 497
 DE FUTER, J. W., DAHA, M. R., SCHROEIJERS, W. E. M., VAN ES, L. A. & VAN KOOTEN, C. Increased IL-10 production by stimulated whole blood cultures in primary IgA nephropathy, 429
 DE GROOT, E. R. *see* VAN DER POUW KRAAN, T. C. T. M.
 DE HAAS, C. J. C., DE VOS, N. M., VISSER, M. R., SNIPPE, H. & VERHOEF, J. Monocytes modulate enhancement of HIV-1 replication by *Mycobacterium tuberculosis*, 286
 DE VIRGILIIS, S. *see* CUCCA, F.
 DE VOS, N. M. *see* DE HAAS, C. J. C.
 DELVENNE, P. *see* JACOBS, N.
 DERAMOND, F.-X. *see* RAMISSE, F.
 DERIK, R. H. *see* SMITS, H. H.
 DIJKSTRA, C. D. *see* HUITINGA, I.
 DOHLSTEN, M. *see* VINGERHOETS, J.
 DOMSCHKE, W. *see* KUCHARZIK, T.
 DORSEY-COOPER, B. A. *see* BASKAR, P. V.
 DOYEN, J. *see* JACOBS, N.
 DUNKLEY, M. L. *see* CORRIGAN, E. M.
 DUNSTON, G. *see* BASKAR, P. V.
 DWYER, D. *see* BASKAR, P. V.
 EBNER, C. *see* WIEDERMANN, U.
 EGIDO, J. *see* PALACIOS, I.
 EISAWA, M. *see* YANAGIHARA, Y.
 ELHASSAN, A. M. *see* GASIM, S.
 ENGEL, M. *see* SNIJERS, A.
 ESKOLA, J. *see* KAUPPI-KORKEILA, M.
 EVAN, G. *see* SHIDRAWI, R. G.
 EVANS, T. G., FITZGERALD, T., GIBBONS, D. C., KEEFER, M. C., SOUCIER, H. & THE AIDS VACCINE EVALUATION GROUP. Th1/Th2 cytokine responses following HIV-1 immunization in seronegative volunteers, 243
 EYERS, F. M. *see* CORRIGAN, E. M.
 FABER-KROL, M. C. *see* VAN DEN BERG, R. H.
 FARRANT, J. *see* NORTH, M. E.
 FELDMANN, M. *see* MALFAIT, A. M.
 FENOGLIO, D. *see* UCCELLI, A.
 FERRANTE, A. *see* TRIOLO, G.
 FIEN, C. A. P. *see* PLATONOV, A. E.
 FITZGERALD, T. *see* EVANS, T. G.
 FOURNIER, C. *see* BESSIS, N.
 FOYEN BRUUN, C., SLETTEN, K. & MARHAUG, G. Mouse serum amyloid A (SAA) proteins isolated by two-dimensional electrophoresis: characterization of isotypes and the effect of separate and combined administrations of cytokines, dexamethasone, and lipopolysaccharide (LPS) on serum levels and isotype distribution, 231
 FRADELIZI, D. *see* BESSIS, N.
 FRAU, F. *see* CUCCA, F.
 FREDRIKSON, S. *see* KIVISÄKK, P.
 FRITSCH, R. *see* WIEDERMANN, U.
 FUJIYAMA, Y. *see* ANDOH, A.
 FUJIYAMA, Y. *see* KIMURA, T.
 FUJIYOSHI, T. *see* KITZE, B.
 FUKAO, T. *see* KANEKO, H.
 FUKUSHIMA, J. *see* SASAKI, S.
 FURMANIAK, J. *see* VOLPATO, M.
 GAMBINO, G. *see* MANSUETO, S.
 GASIM, S., ELHASSAN, A. M., KHALIL, E. A. G., ISMAIL, A., KADARU, A. M. Y., KHARAZMI, A. & THEANDER, T. G. High levels of plasma IL-10 and expression of IL-10 by keratinocytes during visceral leishmaniasis predict subsequent development of post-kala-azar dermal leishmaniasis, 64
 GASPARD, H. B., LESTER, T., LEVINSKY, R. J. & KINNON, C. Bruton's tyrosine kinase expression and activity in X-linked agammaglobulinemia (XLA): the use of protein analysis as a diagnostic indicator of XLA, 334
 GAZZARD, B. *see* ROWBOTTOM, A. W.
 GERKEN, G. *see* HÖHLER, T.
 GIACOMELLI, R., PASSACANTANDO, A., PARZANESE, I., VERNIA, P., KLIDARA, N., CUCINELLI, F., LATTANZIO, R., SANTORI, E., CIPRIANI, P., CAPRILLI, R. & TONJETTI, G. Serum levels of soluble CD30 are increased in ulcerative colitis (UC) but not in Crohn's disease (CD), 532
 GIANNINI, S. L. *see* JACOBS, N.
 GIARDINA, E. *see* TRIOLO, G.
 GIBBONS, D. C. *see* EVANS, T. G.
 GIRARDI, E. *see* PANDOLFI, F.
 GIUNTI, D. *see* UCCELLI, A.
 GÖHRING, B. *see* KEHLEN, A.
 GOLDBERG, J. I. *see* LOWRY, M. A. R.
 GON, Y. *see* HASHIMOTO, S.
 GORDON, T. *see* RISCHMUELLER, M.
 GOTO, T. *see* ABE, M.
 GROSSMAN, Z. *see* BENTWICH, Z.
 GRÜNBERG, K. *see* SMITS, H. H.
 GUCKIAN, M. *see* WESTBY, M.
 GUEYDON, E. *see* RÊME, T.
 GUO, J., MCINTOSH, R. S., CZARNOCKA, B., WEETMAN, A. P., RAPOPORT, B. & MCLACHLAN, S. M. Relationship between autoantibody epitopic recognition and immunoglobulin gene usage, 408
 GUTIERREZ, S. *see* PALACIOS, I.
 HAMAJIMA, K. *see* SASAKI, S.
 HAMMARSTRÖM, M.-L. *see* OLOFSSON, K.
 HANCK, C. *see* KALLINOWSKI, B.
 HANNOUN, C. *see* RAMISSE, F.
 HANYU, T. *see* ARAI, K.
 HASEROTH, K. *see* KALLINOWSKI, B.
 HASHIMOTO, S., NAKAYAMA, T., GON, Y., HATA, N., KOURA, T., MARUOKA, S., KATSUMOTO, K., HAYASHI, S., ABE, Y. & HORIE, T. Correlation of plasma monocyte chemoattractant protein-1 (MCP-1) and monocyte inflammatory protein-1 α (MIP-1 α) levels with disease activity and clinical course of sarcoidosis, 604
 HATA, N. *see* HASHIMOTO, S.
 HAY, P. *see* WESTBY, M.
 HAYAKAWA, S. *see* KANEKO, H.
 HAYASHI, S. *see* HASHIMOTO, S.
 HAYDAY, A. C. *see* PENG, S. L.
 HE, B. *see* KIVISÄKK, P.
 HELD, T. K. *see* TRAUTMANN, M.
 HELLSTRÖM, S. *see* OLOFSSON, K.
 HENRY, S. *see* SOUSA, A. O.
 HERNANDEZ, P. *see* PALACIOS, I.
 HERRERO-BEAUMONT, G. *see* PALACIOS, I.
 HIEMSTRA, P. S. *see* SMITS, H. H.
 HIMENO, M. *see* MURO, Y.
 HIOKI, K. *see* KOSHII, M.
 HIRAO, J. & SUGITA, K. Circulating CD4⁺CD8⁺ T lymphocytes in patients with Kawasaki disease, 397
 HÖHLER, T., KRUGER, A., GERKEN, G., SCHNEIDER, P. M., MEYER ZUM BÜSCHENFELDE, K.-H. & RITTNER, C. A tumour necrosis factor- α

- (TNF- α) promoter polymorphism is associated with chronic hepatitis B infection, 579
- HOLM, K. *see* KERTTULA, T. O.
- HOLMDAHL, R. *see* SVENSSON, L.
- HORIE, T. *see* HASHIMOTO, S.
- HOWARD, A. D., TRASK, O. J., WEISBRODE, S. E. & ZWILLING, B. S. Phenotypic changes in T cell populations during the reactivation of tuberculosis in mice, 309
- HUANG, Y.-M. *see* SHI, F.-D.
- HUITINGA, I., BAUER, J., STRUBOS, P. J. L. M., ROTHWELL, N. J., DIJKSTRA, C. D. & TILDERS, F. J. H. Effect of annexin-1 on experimental autoimmune encephalomyelitis (EAE) in the rat, 198
- HUIZINGA, T. W. J. *see* VAN DEN BERG, R. H.
- HUTCHINSON, P. *see* YANG, Y. H.
- IKEHARA, S. *see* KOSHII, M.
- IKEMA, S. *see* KOBAYASHI, I.
- IKIZAWA, K. *see* YANAGIHARA, Y.
- IMAMURA, K. *see* KOBAYASHI, I.
- INABA, M. *see* KOSHII, M.
- INOUE, R. *see* KANEKO, H.
- IPPOLITO, G. *see* PANDOLFI, F.
- ISENBERG, D. A. *see* BOURNE, T.
- ISHII, N. *see* SASAKI, S.
- ISHIKAWA, N. *see* KOBAYASHI, I.
- ISMAIL, A. *see* GASIM, S.
- ISRAEL, E. *see* BASKAR, P. V.
- ITO, M., YANO, A., XIE, Q., IWAHASHI, K., TAKUCHI, Y., MERONI, P. L. & NICOLETTI, F. Essential pathogenic role for endogenous interferon-gamma (IFN- γ) during disease onset phase of murine experimental autoimmune orchitis. I. *In vivo* studies, 513
- IWABUCHI, K. *see* NAMBA, K.
- IWAHASHI, K. *see* ITO, M.
- IZUMO, S. *see* KITZE, B.
- JACOBS, N., GIANNINI, S. L., DOYEN, J., BAPTISTA, A., MOUTSCHEN, M., BONIVER, J. & DELVENNE, P. Inverse modulation of IL-10 and IL-12 in the blood of women with preneoplastic lesions of the uterine cervix, 219
- JAN-SCHMID, B. *see* WIEDERMANN, U.
- JANSSON, L. *see* SVENSSON, L.
- JELIĆ, I. *see* MARUŠIĆ, M.
- JIRHOLT, J. *see* SVENSSON, L.
- JOHNSON, C. E. *see* BASKAR, P. V.
- JORGENSEN, C. *see* RÊME, T.
- JUNGI, T. W. *see* VON BODUNGEN, U.
- KADARU, A. M. Y. *see* GASIM, S.
- KAJIWARA, K. *see* YANAGIHARA, Y.
- KALINKOVICH, A. *see* BENTWICH, Z.
- KALLINOWSKI, B., HASEROTH, K., MARINOS, G., HANCK, C., STREMMEL, W., THEILMANN, L., SINGER, M. V. & ROSSOL, S. Induction of tumour necrosis factor (TNF) receptor type p55 and p75 in patients with chronic hepatitis C virus (HCV) infection, 269
- KANEKO, H., ARIYASU, T., INOUE, R., FUKAO, T., KASAHARA, K., TERAMOTO, T., MATSUI, E., HAYAKAWA, S. & KONDO, N. Expression of Pax5 gene in human haematopoietic cells and tissues: comparison with immunodeficient donors, 339
- KAPSENBERG, M. L. *see* SNIJDERS, A.
- KARAJAN, M. A. *see* TRAUTMANN, M.
- KASAHARA, K. *see* KANEKO, H.
- KAUPPI-KORKEILA, M., SAARINEN, L., ESKOLA, J. & KÄYHTY, H. Subclass distribution of IgA antibodies in saliva and serum after immunization with *Haemophilus influenzae* type b conjugate vaccines, 237
- KÄYHTY, H. *see* KAUPPI-KORKEILA, M.
- KEEFER, M. C. *see* EVANS, T. G.
- KEHLEN, A., GÖHRING, B., LANGNER, J. & RIEMANN, D. Regulation of the expression of aminopeptidase A, aminopeptidase N/CD13 and dipeptidylpeptidase IV/CD26 in renal carcinoma cells and renal tubular epithelial cells by cytokines and cAMP-increasing mediators, 435
- KENDIG, N. *see* BASKAR, P. V.
- KERTTULA, T. O., HOLM, K., PARTANEN, J., POLVI, A. & MÄKI, M. Circulating T lymphocyte subsets in coeliac disease (CoD) patients and healthy family members, 536
- KESTENS, L. *see* VINGERHOETS, J.
- KHAIDUKOV, S. V. *see* PICHUGIN, A. V.
- KHALIL, E. A. G. *see* GASIM, S.
- KHANNA, A. *see* CUCCA, F.
- KHARAZMI, A. *see* GASIM, S.
- KIKUCHI, M. *see* ANZAI, K.
- KIMURA, T. *see* ANDOH, A.
- KIMURA, T., ANDOH, A., FUJIYAMA, Y., SAOTOME, T. & BAMBA, T. A blockade of complement activation prevents rapid intestinal ischaemia-reperfusion injury by modulating mucosal mast cell degranulation in rats, 484
- KINNON, C. *see* GASPAR, H. B.
- KITAICHI, N. *see* NAMBA, K.
- KITZE, B., USUKU, K., YAMANO, Y., YASHIKI, S., NAKAMURA, M., FUJIYOSHI, T., IZUMO, S., OSAME, M. & SONODA, S. Human CD4⁺ T lymphocytes recognize a highly conserved epitope of human T lymphotropic virus type 1 (HTLV-1) env gp21 restricted by HLA DRB1*0101, 278
- KIVISÄKK, P., MATUSEVICIUS, D., HE, B., SÖDERSTRÖM, M., FREDRIKSSON, S. & LINK, H. IL-15 mRNA expression is up-regulated in blood and cerebrospinal fluid mononuclear cells in multiple sclerosis (MS), 194
- KLEIN, R. *see* OTTO, A.
- KLIDARA, N. *see* GIACOMELLI, R.
- KOBAYASHI, I., IMAMURA, K., YAMADA, M., OKANO, M., YARA, A., IKEMA, S., ISHIKAWA, N., KOBAYASHI, K. & SAKIYAMA, Y. A 75-kD autoantigen recognized by sera from patients with X-linked autoimmune enteropathy associated with nephropathy, 527
- KOBAYASHI, K. *see* KOBAYASHI, I.
- KOLLIAS, G. *see* BESSIS, N.
- KONDO, N. *see* KANEKO, H.
- KOSAKA, M. *see* ABE, M.
- KOSHII, M., ADACHI, Y., SOGO, S., TAKETANI, S., OYAZU, N., SOE, THAN, INABA, M., PHAWA, S., HIOKI, K. & IKEHARA, S. Apoptosis of colorectal adenocarcinoma (COLO 201) by tumour necrosis factor- α (TNF- α) and/or interferon-gamma (IFN- γ), resulting from down-modulation of Bcl-2 expression, 211
- KOTAKE, S. *see* NAMBA, K.
- KOURA, T. *see* HASHIMOTO, S.
- KOYAMA, S. *see* ANDOH, A.
- KRAFT, D. *see* WIEDERMANN, U.
- KRUGER, A. *see* HÖHLER, T.
- KUCHARZIK, T., LÜGERING, N., PAUELS, H.-G., DOMSCHKE, W. & STOLL, R. IL-4, IL-10 and IL-13 down-regulate monocyte-chemoattracting protein-1 (MCP-1) production in activated intestinal epithelial cells, 152
- KUIJPER, E. J. *see* PLATONOV, A. E.
- KULKARNI, S. K. *see* SHAJI, A. V.
- KUMAR, A. *see* ARORAR, A.
- KUMAR, B. *see* AGREWALA, J. N.
- KUNKL, A. *see* PANDOLFI, F.
- LAGRANGE, P. H. *see* SOUSA, A. O.
- LAI, M. *see* DAVENPORT, C.
- LAMPIS, R. *see* CUCCA, F.
- LANGNER, J. *see* KEHLEN, A.
- LATOUF, S. E. *see* LUKEY, P. T.
- LATTANZIO, R. *see* GIACOMELLI, R.
- LECHNER, F. *see* VON BODUNGEN, U.
- LEE, F. K. *see* SOUSA, A. O.
- LEPPER, M. W. *see* ROWBOTTOM, A. W.
- LESTER, S. *see* RISCHMUELLER, M.
- LESTER, T. *see* GASPAR, H. B.
- LEVINSKY, R. J. *see* GASPAR, H. B.
- LI, H.-L. *see* BAI, X.-F.
- LI, H.-L. *see* SHI, F.-D.
- LIGHTMAN *see* MUHAYA, M.
- LINK, H. *see* BAI, X.-F.
- LINK, H. *see* KIVISÄKK, P.
- LINK, H. *see* SHI, F.-D.
- LIU, J.-Q. *see* BAI, X.-F.
- LOONEN, E. H. M. *see* VAN BESOUW, N. M.
- LOPEZ-ARMADA, M. J. *see* PALACIOS, I.
- LOWRY, M. A. R., GOLDBERG, J. I. & BELOSEVIC, M. Induction of nitric oxide (NO) synthesis in murine macrophages requires potassium channel activity, 597

- LÜGERING, N. *see* KUCHARZIK, T.
 LUKEY, P. T., LATOUF, S. E. & RESS, S. R. Kinetics of purified protein derivative (PPD) proliferation reflects underlying suppressor mechanisms revealed by limiting dilution analysis (LDA) in patients with extrapulmonary tuberculosis (TB), 293
 MADAIO, M. P. *see* PENG, S. L.
 MAINI, R. N. *see* MALFAIT, A. M.
 MÄKI, M. *see* KERTTULA, T. O.
 MALENICA, B. *see* MARUŠIĆ, M.
 MALFAIT, A. M., BUTLER, D. M., PRESKY, D. H., MAINI, R. N., BRENNAN, F. M. & FELDMANN, M. Blockade of IL-12 during the induction of collagen-induced arthritis (CIA) markedly attenuates the severity of the arthritis, 377
 MANCARDI, G. L. *see* UCCELLI, A.
 MANSUETO, P. *see* MANSUETO, S.
 MANSUETO, S., VITALE, G., MOCCIARO, C., GAMBINO, G., COLLETTI, P., MANSUETO, P., SPINELLI, A., AFFRONTI, M., CHIFARI, N., ARCOLEO, F., MILANO, S. & CILLARI, E. Modifications of general parameters of immune activation in the sera of Sicilian patients with Bouton-neuse fever, 555
 MARHAUG, G. *see* FOYN BRUUN, C.
 MARINOS, G. *see* KALLINOWSKI, B.
 MARÓJA, F. M. *see* SOUSA, A. O.
 MARRE, R. *see* TRAUTMANN, M.
 MARRIOT, J. B. *see* WESTBY, M.
 MARTINEZ, J. *see* PALACIOS, I.
 MARUOKA, S. *see* HASHIMOTO, S.
 MARUŠIĆ, M., TURKALI-KLAJČIĆ, M., PETROVIČKI, M., UŽAREVIĆ, B., RUDOLF, M., BATINIĆ, D., UGLIEN, R., ANIĆ, D., CAVAR, Z., JELIĆ, I. & MALENICA, B. Indirect demonstration of the lifetime function of human thymus, 450
 MATOS, H. C. *see* SAMPAIO, E. P.
 MATSUDA, H. *see* NAMBA, K.
 MATSUI, E. *see* KANEKO, H.
 MATSUKI, N. *see* NAMBA, K.
 MATSUMOTO, K. *see* HASHIMOTO, S.
 MATUSSEVICIUS, D. *see* KIVISÄKK, P.
 MCCLUSKEY, J. *see* RISCHMUELLER, M.
 MCINTOSH, R. S. *see* GUO, J.
 McLACHLAN, S. M. *see* GUO, J.
 McLAUGHLIN, M. *see* MUHAYA, M.
 McNIFF, J. M. *see* PENG, S. L.
 MERONI, P. L. *see* ITOH, M.
 MEYER ZUM BÜSCHENFELDE, K.-H. *see* HÖHLER, T.
 MIGUELEZ, R. *see* PALACIOS, I.
 MILANO, S. *see* MANSUETO, S.
 MINTY, A. *see* BESSIS, N.
 MOCCIARO, C. *see* MANSUETO, S.
 MOHRI, H. *see* SASAKI, S.
 MONTRONI, M. *see* SILVESTRI, G.
 MORAES, M. O. *see* SAMPAIO, E. P.
 MORAND, E. F. *see* YANG, Y. H.
 MORGADO, M. G. *see* NEVES JR, I.
 MOROZ, A. M. *see* PICHUGIN, A. V.
 MOUTSCHEN, M. *see* JACOBS, N.
 MUHAYA, M., CALDER, V., TOWLER, H. M. A., SHAER, B., McLAUGHLIN, M. & LIGHTMAN, S. Characterization of T cells and cytokines in the aqueous humour (AH) in patients with Fuchs' heterochromic cyclitis (FHC) and idiopathic anterior uveitis (IAU), 123
 MUNOZ-CALLEJA, C. *see* SILVESTRI, G.
 MURO, Y., YAMADA, T., HIMENO, M. & SUGIMOTO, K. cDNA cloning of a novel autoantigen targeted by a minor subset of anti-centromere antibodies, 372
 NAGAFUCHI, S. *see* ANZAI, K.
 NAGEL, J. E. *see* BASKAR, P. V.
 NAKAMURA, M. *see* KITZE, B.
 NAKAYAMA, T. *see* HASHIMOTO, S.
 NALIN, D. R. *see* BASKAR, P. V.
 NAMBA, K., OGASAWARA, K., KITAICHI, N., MATSUKI, N., TAKAHASHI, A., SASAMOTO, Y., KOTAKE, S., MATSUDA, H., IWABUCHI, K., OHNO, S. & ONOÉ, K. Identification of a peptide inducing experimental autoimmune uveoretinitis (EAU) in H-2A^k-carrying mice, 442
 NASCIMENTO, D. V. *see* NEVES JR, I.
 NERY, J. A. C. *see* SAMPAIO, E. P.
 NEVES JR, I., BERTHO, A. L., VELOSO, V. G., NASCIMENTO, D. V., CAMPOS-MELLO, D. L. A. & MORGADO, M. G. Improvement of the lymphoproliferative immune response and apoptosis inhibition upon *in vitro* treatment with zinc of peripheral blood mononuclear cells (PBMC) from HIV⁺ individuals, 264
 NICOLETTI, F. *see* ITOH, M.
 NIHO, Y. *see* ANZAI, K.
 NORTH, M. E., WEBSTER, A. D. B. & FARRANT, J. Primary defect in CD8⁺ lymphocytes in the antibody deficiency disease (common variable immunodeficiency): abnormalities in intracellular production of interferon-gamma (IFN- γ) in CD28⁺ ('cytotoxic') and CD28⁻ ('suppressor') CD8⁺ subsets, 70
 OGASAWARA, K. *see* NAMBA, K.
 OHNO, S. *see* NAMBA, K.
 OKANO, M. *see* KOBAYASHI, I.
 OKUDA, K. *see* SASAKI, S.
 OLOFSSON, K., HELLSTRÖM, S. & HAMMARSTRÖM, M.-L. The surface epithelium of recurrent infected palatine tonsils is rich in $\gamma\delta$ T cells, 36
 ONO, J. *see* ANZAI, K.
 ONOÉ, K. *see* NAMBA, K.
 OPELZ, G. *see* WEIMER, R.
 OSAME, M. *see* KITZE, B.
 OTTO, A., STÄHLE, I., KLEIN, R., BERG, P. A., PANKUWEIT, S. & BRANDSCH, R. Anti-mitochondrial antibodies in patients with dilated cardiomyopathy (anti-M7) are directed against flavoenzymes with covalently bound FAD, 541
 OWEN, M. J. *see* PENG, S. L.
 OYAZU, N. *see* KOSHII, M.
 PALACIOS, I., LOPEZ-ARMADA, M. J., HERNANDEZ, P., SANCHEZ-PERNAUTE, O., GUTIERREZ, S., MIGUELEZ, R., MARTINEZ, J., EGIDO, J. & HERRERO-BEAUMONT, G. Tenidap decreases IL-8 and monocyte chemotactic peptide-1 (MCP-1) mRNA expression in the synovial tissue of rabbits with antigen arthritis and in cultured synovial cells, 588
 PANDOLFI, F., ALARIO, C., GIRARDI, E., RAVA', L., IPPOLITO, G., KUNKL, A., AIUTI, F. & THE OTHER MEMBERS OF THE ITALIAN CD4 QUALITY CONTROL GROUP. The Italian quality control study for evaluation of CD4 cells in centres involved in the treatment of HIV-1 patients, 564
 PANKUWEIT, S. *see* OTTO, A.
 PARNELL, N. D. J. *see* SHIDRAWI, R. G.
 PARTANEN, J. *see* KERTTULA, T. O.
 PARZANESE, I. *see* GIACOMELLI, R.
 PASSACANTANDO, A. *see* GIACOMELLI, R.
 PAUELS, H.-G. *see* KUCHARZIK, T.
 PENG, S. L., CAPPADONA, J., McNIFF, J. M., MADAIO, M. P., OWEN, M. J., HAYDAY, A. C. & CRAFT, J. Pathogenesis of autoimmunity in $\alpha\beta$ T cell-deficient lupus-prone mice, 107
 PENNE, G. *see* VINGERHOETS, J.
 PETERHANS, E. *see* VON BODUNGEN, U.
 PETROVIČKI, M. *see* MARUŠIĆ, M.
 PEYRON, F. *see* CHUMPTAZI, B. F. F.
 PFISTER, H. *see* VON BODUNGEN, U.
 PHAWA, S. *see* KOSHII, M.
 PICHUGIN, A. V., KHAIDUKOV, S. V., MOROZ, A. M. & APT, A. S. Capacity of murine T cells to retain long-term responsiveness to mycobacterial antigens is controlled by the H-2 complex, 316
 PICOT, S. *see* CHUMPTAZI, B. F. F.
 PIEDIMONTE, G. *see* SILVESTRI, G.
 PIRAS, P. *see* CUCCA, F.
 PLATONOV, A. E., KUIPPE, E. J., VERSHININA, I. V., SHIPULIN, G. A., WESTERDAAL, N., FIJEN, C. A. P. & VAN DE WINKEL, J. G. J. Meningococcal disease and polymorphism of Fc γ R1a (CD32) in late complement component-deficient individuals, 97
 POLACK, B. *see* CHUMPTAZI, B. F. F.
 POLVI, A. *see* KERTTULA, T. O.
 POWIS, S. H. *see* CUCCA, F.
 PRENTICE, L. *see* VOLPATO, M.
 PRESKY, D. H. *see* MALFAIT, A. M.
 PYLE, R. S. *see* BASKAR, P. V.

- RA, C. *see* YANAGIHARA, Y.
 RABY, C. *see* TAKORABET, L.
 RADFORD, P. M. *see* DAVENPORT, C.
 RAMISSE, F., DERAMOUDET, F.-X., SZATANIK, M., BIANCHI, A., BINDER, P., HANNOUN, C. & ALONSO, J.-M. Effective prophylaxis of influenza A virus pneumonia in mice by topical passive immunotherapy with polyvalent human immunoglobulins or F(ab)₂ fragments, 583
 RAPOPORT, B. *see* GUO, J.
 RAVA', L. *see* PANDOLFI, F.
 RÈME, T., TRAVAGLIO, A., GUEYDON, E., ADLA, L., JORGENSEN, C. & SANY, J. Mutations of the p53 tumour suppressor gene in erosive rheumatoid synovial tissue, 353
 RENZ, H. *see* WIEDERMANN, U.
 RESS SMITH, B. *see* VOLPATO, M.
 RESS, S. R. *see* LUKEY, P. T.
 RICARD, J. *see* CHUMPITAZI, B. F. F.
 RIEMANN, D. *see* KEHLEN, A.
 RISCHMUELLER, M., LESTER, S., CHEN, Z., CHAMPION, G., VAN DEN BERG, R., BEER, R., COATES, T., MCCLUSKEY, J. & GORDON, T. HLA class II phenotype controls diversification of the autoantibody response in primary Sjögren's syndrome (pSS), 365
 RISTORI, G. *see* UCCELLI, A.
 RITTNER, C. *see* HÖHLER, T.
 ROPARS, A. *see* TAKORABET, L.
 ROSEN-BRONSON, S. *see* SHIDRAWI, R. G.
 ROSSOL, S. *see* KALLINOWSKI, B.
 ROTHWELL, N. J. *see* HUITINGA, I.
 ROWBOTTOM, A. W., LEPPER, M. W., SHARPSTONE, D. & GAZZARD, B. Cytomegalovirus (CMV) infection in AIDS patients is associated with a CD3 receptor-mediated T cell hyporesponsiveness, 559
 RUDOLF, M. *see* MARUŠIĆ, M.
 SAARINEN, L. *see* KAUPPI-KORKEILA, M.
 SAITO, H. *see* YANAGIHARA, Y.
 SAKIYAMA, Y. *see* KOBAYASHI, I.
 SAKUMOTO, H. *see* ANDOH, A.
 SALAMAN, M. R. *see* BOURNE, T.
 SALVETTI, M. *see* UCCELLI, A.
 SAMPAIO, E. P., MORAES, M. O., NERY, J. A. C., SANTOS, A. R., MATOS, H. C. & SARNO, E. N. Pentoxifylline decreases *in vivo* and *in vitro* tumour necrosis factor- α (TNF- α) production in lepromatous leprosy patients with erythema nodosum leprosum (ENL), 300
 SANCHEZ-PERNAUTE, O. *see* PALACIOS, I.
 SANSOM, D. *see* VINGERHOETS, J.
 SANTORI, E. *see* GIACOMELLI, R.
 SANTOS, A. R. *see* SAMPAIO, E. P.
 SANTOS, L. L. *see* YANG, Y. H.
 SANY, J. *see* RÈME, T.
 SAOTOME, T. *see* KIMURA, T.
 SARNO, E. N. *see* SAMPAIO, E. P.
 SASAKI, S., FUKUSHIMA, J., HAMAJIMA, K., ISHII, N., TSUJI, T., XIN, K.-Q., MOHRI, H. & OKUDA, K. Adjuvant effect of Ubenimex on a DNA vaccine for HIV-1, 30
 SASAMOTO, Y. *see* NAMBA, K.
 SCHIMPF, K. *see* WEIMER, R.
 SCHNEIDER, P. M. *see* HÖHLER, T.
 SCHROEDERS, W. E. M. *see* DE FUTER, J. W.
 SEIFERT, M. H. *see* BOURNE, T.
 SEKI, S. *see* ARAI, K.
 SHAER, B. *see* MUHAYA, M.
 SHAJI, A. V., KULKARNI, S. K. & AGREWALA, J. N. Regulation of secretion of IL-4 and IgG1 isotype by melatonin-stimulated ovalbumin-specific T cells, 181
 SHARPSTONE, D. *see* ROWBOTTOM, A. W.
 SHI, F.-D. *see* BAI, X.-F.
 SHI, F.-D., BAI, X.-F., LI, H.-L., HUANG, Y.-M., VAN DER MEIDE, P. H. & LINK, H. Nasal tolerance in experimental autoimmune myasthenia gravis (EAMG): induction of protective tolerance in primed animals, 506
 SHIDRAWI, R. G., PARNELL, N. D. J., CICLITRA, P. J., TRAVERS, P., EVAN, G. & ROSEN-BRONSON, S. Binding of gluten-derived peptides to the HLA-DQ2 ($\alpha 1^*0501$, $\beta 1^*0201$) molecule, assessed in a cellular assay, 158
 SHIPULIN, G. A. *see* PLATONOV, A. E.
 SIEGERT, C. E. H. *see* VAN DEN BERG, R. H.
 SILVESTRI, G., MUNOZ-CALLEJA, C., BAGNARELLI, P., PIEDIMONTE, G., CLEMENTI, M. & MONTRONI, M. Early increase of CD4⁺CD45RA⁺ and CD4⁺CD95⁺ cells with conserved repertoire induced by anti-retroviral therapy in HIV-infected patients, 3
 SIMON, J. *see* CHUMPITAZI, B. F. F.
 SINGER, M. V. *see* KALLINOWSKI, B.
 SINGH, M. *see* SOUSA, A. O.
 SLETEN, K. *see* FOYN BRUUN, C.
 SMITS, H. H., GRÜNBERG, K., DERIJK, R. H., STERK, P. J. & HIEMSTRA, P. S. Cytokine release and its modulation by dexamethasone in whole blood following exercise, 463
 SNIJDERS, A., VAN DER POWW KRAAN, T. C. T. M., ENGEL, M., WORMMEESTER, J., WIDJAJA, P., ZONNEVELD, I. M., BOS, J. D. & KAPSENBERG, M. L. Enhanced prostaglandin E₂ production by monocytes in atopic dermatitis (AD) is not accompanied by enhanced production of IL-6, IL-10 or IL-12, 472
 SNIPPE, H. *see* DE HAAS, C. J. C.
 SOBAJIMA, J., OZAKI, S., UESUGI, H., OSAKADA, F., SHIRAKAWA, H., YOSHIDA, M. & NAKAO, K. Prevalence and characterization of perinuclear anti-neutrophil cytoplasmic antibodies (P-ANCA) directed against HMG1 and HMG2 in ulcerative colitis (UC), 402
 SÖDERSTRÖM, M. *see* KIVISÄKK, P.
 SOE THAN *see* KOSHII, M.
 SOGO, S. *see* KOSHII, M.
 SOLOMON, A. *see* ABE, M.
 SONODA, S. *see* KITZE, B.
 SOUCIER, H. *see* EVANS, T. G.
 SOUSA, A. O., HENRY, S., MARÓJA, F. M., LEE, F. K., BRUM, L., SINGH, M., LAGRANGE, P. H. & AUCCOUTURIER, P. IgG subclass distribution of antibody responses to protein and polysaccharide mycobacterial antigens in leprosy and tuberculosis patients, 48
 SPINELLI, A. *see* MANSUETO, S.
 SRIVASTAVA, L. M. *see* ARORAR, A.
 STÄHLE, I. *see* OTTO, A.
 STAPEL, S. O. *see* VAN DER POWW KRAAN, T. C. T. M.
 STASIUK, L. *see* TAKORABET, L.
 STERK, P. J. *see* SMITS, H. H.
 STOLL, R. *see* KUCHARZIK, T.
 STREMMEL, W. *see* KALLINOWSKI, B.
 STRUBOS, P. J. L. M. *see* HUITINGA, I.
 SUGIMOTO, K. *see* MURO, Y.
 SUGITA, K. *see* HIRAO, J.
 SUSA, M. *see* TRAUTMANN, M.
 SVENSSON, L., JIRHOLT, J., HOLMDAHL, R. & JANSSON, L. B cell-deficient mice do not develop type II collagen-induced arthritis (CIA), 521
 SZATANIK, M. *see* RAMISSE, F.
 TACHIMOTO, H. *see* YANAGIHARA, Y.
 TAKAHASHI, A. *see* NAMBA, K.
 TAKETANI, S. *see* KOSHII, M.
 TAKORABET, L., ROPARS, A., STASIUK, L., RABY, C. & CHARREIRE, J. Phenothiazine-induced increase in thyroid autoantigens and costimulatory molecules on thyroid cells: a pathophysiological mechanism for drug-induced autoimmunity?, 415
 TAKUCHI, Y. *see* ITOH, M.
 TERAMOTO, T. *see* KANEKO, H.
 THE AIDS VACCINE EVALUATION GROUP *see* EVANS, T. G.
 THE OTHER MEMBERS OF THE ITALIAN CD4 QUALITY CONTROL GROUP *see* PANDOLFI, F.
 THEANDER, T. G. *see* GASIM, S.
 THEILMANN, L. *see* KALLINOWSKI, B.
 TILDERS, F. J. H. *see* HUITINGA, I.
 TODD, I. *see* DAVENPORT, C.
 TONIETTI, G. *see* GIACOMELLI, R.
 TOTEMCHOKCHYAKARN, K. *see* ZHU, Z.-B.
 TOWLER, H. M. A. *see* MUHAYA, M.
 TRASK, O. J. *see* HOWARD, A. D.
 TRAUTMANN, M., HELD, T. K., SUSA, M., KARAJAN, M. A., WULF, A., CROSS, A. S. & MARRE, R. Bacterial lipopolysaccharide (LPS)-specific antibodies in commercial human immunoglobulin preparations: superior antibody content of an IgM-enriched product, 81
 TRAVAGLIO, A. *see* RÈME, T.
 TRAVERS, P. *see* SHIDRAWI, R. G.

- TRIOLO, G., ACCARDO-PALUMBO, A., CARBONE, M. C., FERRANTE, A., CASIGLIA, D. & GIARDINA, E. IgG anti-endothelial cell antibodies (AECA) in type I diabetes mellitus; induction of adhesion molecule expression in cultured endothelial cells, 491
- TSUI, T. *see* SASAKI, S.
- TURKALI-KLJAJIĆ, M. *see* MARUŠIĆ, M.
- UCCELLI, A., GIUNTI, D., SALVETTI, M., RISTORI, G., FENOGLIO, D., ABBRUZZESE, M. & MANCARDI, G. L. A restricted T cell response to myelin basic protein (MBP) is stable in multiple sclerosis (MS) patients, 186
- UCHIHARA, H. *see* ANDOH, A.
- UGLJEN, R. *see* MARUŠIĆ, M.
- USUKU, K. *see* KITZE, B.
- UŽAREVIĆ, B. *see* MARUŠIĆ, M.
- VAESSEN, L. M. B. *see* VAN BESOUW, N. M.
- VAN BESOUW, N. M., LOONEN, E. H. M., VAESSEN, L. M. B., BALK, A. H. M. M., CLAAS, F. H. J. & WEIMAR, W. The frequency and avidity of committed cytotoxic T lymphocytes (cCTL) for donor HLA class I and class II antigens and their relation with graft vascular disease, 548
- VAN DEN BERG, R. H., SIEGERT, C. E. H., FABER-KROL, M. C., HUIZINGA, T. W. J., VAN ES, L. A. & DAHA, M. R. Anti-Clq receptor/calreticulin autoantibodies in patients with systemic lupus erythematosus (SLE), 359
- VAN DEN BERG, R. *see* RISCHMUELLER, M.
- VAN DER MEIDE, P. H. *see* BAL, X.-F.
- VAN DER MEIDE, P. H. *see* SHI, F.-D.
- VAN DER POUW KRAAN, T. C. T. M. *see* SNIJDERS, A.
- VAN DER POUW KRAAN, T. C. T. M., VAN DER ZEE, J. S., BOEIJE, L. C. M., DE GROOT, E. R., STAPEL, S. O. & AARDEN, L. A. The role of IL-13 in IgE synthesis by allergic asthma patients, 129
- VAN DER WINKEL, J. G. J. *see* PLATONOV, A. E.
- VAN DER ZEE, J. S. *see* VAN DER POUW KRAAN, T. C. T. M.
- VAN ES, L. A. *see* DE FUTER, J. W.
- VAN ES, L. A. *see* VAN DEN BERG, R. H.
- VAN KOOTEN, C. *see* DE FUTER, J. W.
- VANHAM, G. *see* VINGERHOETS, J.
- VELOSO, V. G. *see* NEVES JR, I.
- VERHOEF, J. *see* DE HAAS, C. J. C.
- VERNIA, P. *see* GIACOMELLI, R.
- VERSHININA, I. V. *see* PLATONOV, A. E.
- VINGERHOETS, J., DOHLSTEN, M., PENNE, G., COLEBUNDERS, R., SANSOM, D., BOSMANS, E., KESTENS, L. & VANHAM, G. Superantigen activation of CD4⁺ and CD8⁺ T cells from HIV-infected subjects: role of costimulatory molecules and antigen-presenting cells (APC), 12
- VISSER, M. R. *see* DE HAAS, C. J. C.
- VITALE, G. *see* MANSUETO, S.
- VOGT, H. R. *see* VON BODUNGEN, U.
- VOHRA, H. *see* AGREWALA, J. N.
- VOLANAKIS, J. E. *see* CUCCA, F.
- VOLPATO, M., PRENTICE, L., CHEN, S., BETTERLE, C., RESS SMITH, B. & FURMANIAK, J. A study of the epitopes on steroid 21-hydroxylase recognized by autoantibodies in patients with or without Addison's disease, 422
- VON BODUNGEN, U., LECHNER, F., PFISTER, H., VOGT, H. R., CHEEVERS, W. P., BERTONI, G., JUNGI, T. W. & PETERHANS, E. Immunohistology of the early course of lentivirus-induced arthritis, 384
- WEBSTER, A. D. B. *see* NORTH, M. E.
- WEETMAN, A. P. *see* GUO, J.
- WEIMAR, W. *see* VAN BESOUW, N. M.
- WEIMER, R., ZIPPERLE, S., DANIEL, V., ZIMMERMANN, R., SCHIMPF, K. & OPELZ, G. HIV-induced IL-6/IL-10 dysregulation of CD4 cells is associated with defective B cell help and autoantibody formation against CD4 cells, 20
- WEISBRODE, S. E. *see* HOWARD, A. D.
- WEISMAN, Z. *see* BENTWICH, Z.
- WEISS, D. T. *see* ABE, M.
- WESTBY, M., MARRIOT, J. B., GUCKIAN, M., COOKSON, S., HAY, P. & DALGLEISH, A. G. Abnormal intracellular IL-2 and interferon-gamma (IFN- γ) production as HIV-1-associated markers of immune dysfunction, 257
- WESTERDAAL, N. *see* PLATONOV, A. E.
- WIDJAJA, P. *see* SNIJDERS, A.
- WIEDERMANN, U., JAHN-SCHMID, B., FRITSCH, R., BAUER, L., RENZ, H., KRAFT, D. & EBNER, C. Effects of adjuvants on the immune response to allergens in a murine model of allergen inhalation: cholera toxin induces a Th1-like response to Bet v 1, the major birch pollen allergen, 144
- WILKIE, B. N. *see* APPLEYARD, G. D.
- WOLFENBARGER, D. *see* ABE, M.
- WORDSWORTH, P. T cell genetics and rheumatoid arthritis (RA), 469
- WORMMEESTER, J. *see* SNIJDERS, A.
- WULF, A. *see* TRAUTMANN, M.
- XIAO, B.-G. *see* BAL, X.-F.
- XIE, Q. *see* ITOH, M.
- XIN, K.-Q. *see* SASAKI, S.
- YAKAHASHI, H. E. *see* ARAI, K.
- YAMADA, M. *see* KOBAYASHI, I.
- YAMADA, T. *see* MURO, Y.
- YAMAMURA, S. *see* ARAI, K.
- YAMANO, Y. *see* KITZE, B.
- YANAGIHARA, Y., KAJIWARA, K., BASAKI, Y., IKIZAWA, K., EBISAWA, M., RA, C., TACHIMOTO, H. & SAITO, H. Cultured basophils but not cultured mast cells induce human IgE synthesis in B cells after immunologic stimulation, 136
- YANG, Y. H., HUTCHINSON, P., SANTOS, L. L. & MORAND, E. F. Glucocorticoid inhibition of adjuvant arthritis synovial macrophage nitric oxide production: role of lipocortin I, 117
- YANO, A. *see* ITOH, M.
- YARA, A. *see* KOBAYASHI, I.
- YASHIKI, S. *see* KITZE, B.
- ZHU, Z.-B. *see* CUCCA, F.
- ZHU, Z.-B., TOTEMCHOKCHYAKARN, K., ATKINSON, T. P. & VOLANAKIS, J. E. Molecular defects leading to human complement component C6 deficiency in an African-American family, 91
- ZIMMERMANN, R. *see* WEIMER, R.
- ZIPPERLE, S. *see* WEIMER, R.
- ZONNEVELD, I. M. *see* SNIJDERS, A.
- ZUKOWSKA-COOPER, M. *see* BOURNE, T.
- ZWILLING, B. S. *see* HOWARD, A. D.

Subject Index

- 21-hydroxylase, 422
21-hydroxylase epitopes, 422
- activation, 597
Addison's disease, 422
adhesion molecules, 491
adjuvant, 144
adjuvant arthritis, 117
aerosol, 144
ageing, 450
AIDS, 264
alimemazine, 415
allele-specific PCR, 91
allergy, 129, 144
aminopeptidase A, 435
anaphylatoxin, 484
annexin-1, 198
anterior uveitis, 123
anti-centromere antibodies, 372
anti-endothelial cell antibodies, 491
anti-flavin autoantibodies, 541
anti-La (SS-B), 365
anti-neutrophil cytoplasmic antibodies, 402
anti-Ro (SS-A), 365
antibodies, 76
antimicrobial, 597
antiphospholipid antibodies, 173
apoptosis, 12, 211, 353
aqueous humour, 123
arthritis, 588
asthma, 129
astrocytes, 198
atopic dermatitis, 472
autoantibodies, 107, 359, 365, 372, 408, 422, 497
autoantibody, 20
autoantigen, 527
autoimmune enteropathy, 527
autoimmunity, 107, 415, 513, 521
- β_2 -microglobulin, 555
B cells, 384, 521
B lymphocytes, 225
B7-1, 56
BALB/c, 144
basophils, 136
Bax, 211
Bcl-2, 211
Bence Jones protein, 457
bestatin, 435
binding, 158
blood culture, 219
Bruton's tyrosine kinase, 334
- CIq receptor, 359
Caco-2, 152
calcium flux, 225
calreticulin, 359
Candida albicans, 574
caprine arthritis encephalitis virus, 384
cardiolipin, 173
CD13, 435
CD19, 339, 611
CD26, 435
CD28, 56
CD28 subsets of CD8⁺ cells, 70
CD3⁺ CD57⁺ T cells, 345
CD30, 532
CD38, 611
CD4, 564
CD4⁺ CD8⁺ T lymphocyte, 397
CD4⁺ lymphocytes, 3
CD40, 339
CD40 ligand, 136
CD45RA/RO, 3
CD5, 225
CD59, 102
CD8⁺ cells, 70
CD8⁺ cytokines, 123
CD8/57⁺ lymphocytes, 559
CD95/Fas, 3
cDNA cloning, 372
cell-mediated immunity, 257, 574
central nervous system, 198
cervical squamous intraepithelial lesion, 219
chemokines, 588
chronic hepatitis C, 269
chronic infection, 579
clinical heart transplantation, 548
coeliac disease, 158, 536
collagen-induced arthritis, 377, 521
COLO 201, 211
combinatorial immunoglobulin gene libraries, 408
common variable immunodeficiency, 70, 339
complement, 102, 359, 477, 484
complement deficiency, 91, 97
costimulation, 12, 56
cytokine, 506
cytokine production, 429
cytokines, 136, 193, 231, 243, 257, 377, 391, 463
cytomegalovirus, 559
cytotoxic T lymphocytes, 548
- decay-accelerating factor, 192
dexamethasone, 231, 463
diabetes mellitus, 491
dilated cardiomyopathy, 541
DNA damage, 353
DNA vaccine, 30
DQ2, 158
DTH, 574
- EAU, 442
ELISA, 457
ELISPOT, 205
endotoxin, 81
epitope, 278
epitope mapping, 497
epitopes, 408
erythema nodosum leprosum, 300
erythrocyte sedimentation rate, 345
erythrocytes, 102
exercise, 463
experimental allergic encephalomyelitis, 198
experimental autoimmune encephalomyelitis, 205
experimental autoimmune myasthenia gravis, 506
experimental autoimmune thyroiditis, 415
extrapulmonary tuberculosis, 293
- Fas ligand, 136
Fc γ RIIa, 97

- flavoenzymes, 541
 flow cytometry, 257, 450
 Fuchs', 123
- $\gamma\delta$ T cells, 36
 gene mutation, 91
 gene therapy, 391
 glucocorticoid, 117
 glucocorticoids, 463
 glutamic acid decarboxylase, 497
 G/M-CFC, 166
- H-2* complex, 316
Haemophilus influenzae type b, 237
 helper function, 20
 hepatitis B virus, 579
 histocytochemistry, 353
 HIV, 3, 20, 30, 257, 286, 559
 HIV infection, 12
 HIV-1, 243, 251, 564
 HLA, 76, 158, 278, 365
 HLA DQ2, 536
 HMG1, 402
 HMG2, 402
 HTLV-1, 278
 human, 359
 human monoclonal antibodies, 408
 human papillomavirus, 219
 hypothalamic-pituitary-adrenal axis, 309
- IgA nephropathy, 429
 IgA subclasses, 237
 IgE, 129
 IgE production, 136
 IgG subclasses, 48
 IL-10, 20, 64, 152, 219
 IL-12, 219, 377, 472
 IL-13, 129, 152
 IL-15, 193
 IL-4, 129, 152
 IL-4 and IgG1, 181
 IL-6, 20, 325
 immunization, 243
 immunodeficiency diseases, 76
 immunoglobulin, 457
 immunoglobulin genes, 408
 immunoglobulin production, 611
 immunoglobulin(s), 81
 immunomodulation and apoptosis, 264
 immunomorphometry, 36
 immunopathogenesis, 384
 immunoprophylaxis, 583
in situ hybridization, 477
in vivo, 513
 indeterminate Western blot, 251
 inflammation, 391
 inflammatory bowel disease, 152, 166, 532
 influenza A virus pneumonia, 583
 insulin-dependent diabetes mellitus, 173
 interferon-gamma, 70, 205, 211, 513, 574
 intestinal epithelial cells, 152
 intestine, 477
 intraepithelial lymphocytes, 36
 intragraft, 548
 IRBP, 442
 isotype switching, 76
- joint fluid, 345
 joint-adjacent bone marrow, 345
- kala-azar, 64
 Kawasaki disease, 397
 kinetics, 293
- leprosy, 48, 56
 limiting dilution analysis, 293
 lipocortin I, 117, 198
 lipopolysaccharide, 81
 lupus, 359
 lymphocytes, 450
 lymphoproliferative response, 264
- macrophage, 117, 597
 macrophages, 198, 384
 mast cells, 136
 MCP-1, 152, 604
 measles, 251
 melatonin, 181
 meningococcal infection, 97
 menstrual cycle, 574
 MHC, 76, 579
 MHC restriction, 442
 mice, 107
 MIP-1 α , 604
 mitochondria, 541
 mitogen, 264
 monoclonal antibody, 457
 monocytes, 286, 472
 mouse, 231
 mouse model, 583
 mucosal, 144
 mucosal mast cell, 484
 mucosal tolerance, 506
 multiple sclerosis, 186, 193
 mycobacterial antigens, 316
 Mycobacterium, 286
 myelin basic protein, 186, 205
- nasal tolerance, 205
 natural killer cells, 611
Neisseria meningitidis, 91
 nephritis, 107
 nephropathy, 527
 neutrophils, 359
 nitric oxide, 117, 597
 NOD mouse, 173
- oncogenes, 353
- palatine tonsils, 36
 pathogenesis, 64
 Pax5, 339
 pentoxifylline, 300
 peptide antigen, 442
 PGE₂, 472
 plasma cells, 611
 platelet-derived growth factor, 325
 platelets, 325
 polyendocrine autoimmunity, 497
 polyglandular autoimmune syndromes, 422
 polymorphism, 579
 polymorphonuclear cells, 491
 post-kala-azar dermal leishmaniasis, 64
 potassium channels, 597
 proliferation, 293
 promoter, 579
 protein tyrosine kinase, 334
 purified protein derivative, 286
- quality control, 564
 quantitative RT-PCR, 435
- recombinant Fab, 408
 renal cell carcinoma, 435
 rheumatoid arthritis, 102, 345, 384, 391
 RT-PCR, 300, 339
- sarcoidosis, 604

- sCD4, 555
sCD8, 555
scid mice, 166
serum amyloid A, 231
sHLA-I, 555
single-strand conformation polymorphism, 91
Sjögren's syndrome, 365
skin, 107
soluble IL-2 receptor, 64
stress, 309
superantigen, 12
suppression, 293
suppressor mutation, 353
swine, 225
systemic lupus erythematosus, 611
- T cell, 181, 532
T cell activation, 70, 559
T cell lines, 186
T cell receptor, 186
T cell response, 316
T cells, 12, 309, 384
T lymphocytes, 107, 278, 536
T subsets in Boutonneuse fever, 555
TCR, 3
TCR $\gamma\delta$ cells, 536
tenidap, 588
testis, 513
Th1, 144
Th1 cells, 506
Th1 cytokines, 166
Th1 response, 205
Th1/Th2, 243
Th2, 144
Th2 cells, 506
thalidomide, 300
thymus, 450
thyroid antigens, 415
thyroid peroxidase, 408
TNF receptors, 269
Toxoplasma gondii, 325
transforming growth factor-beta 1, 325
transgenic mice, 391
tuberculosis, 48, 309
tumour necrosis factor-alpha, 211, 269, 300, 579
two-dimensional electrophoresis, 231
type II collagen, 521
- Ubenimex, 30
ulcerative colitis, 402
- V-gene usage, 36
V-shape LDA, 293
visceral leishmaniasis, 64
- Western blot, 527
whole blood, 429, 463
whole blood cultures, 257
- X-linked agammaglobulinaemia, 334
zinc, 264